



Temperature range: **+1°C/+10°C**

Refrigerating unit: **External**

Refrigerant/Cooling factor: **R404a / R507 / R448 / R449**

Name	KING 1.0 AT	KING 1.3 AT	KING 1.6 AT	KING 1.9 AT	KING 2.5 AT
Code	KG100AT-c	KG101AT-c	KG102AT-c	KG103AT-c	KG104AT-c
Length [mm]	920	1230	1530	1840	2460
Height [mm]	2170+/10	2170+/10	2170+/10	2170+/10	2170+/10
Depth [mm]	770	770	770	770	770
Capacity [dm ³]	748	966	1208	1449	1944
Display area [m ²]	2,8	3,7	4,6	5,5	7,4
Total Display Area (TDA) [m ²]-	-	-	-	-	-
Temp. range [°C]	(+1 ± +10°C)	(+1 ± +10°C)	(+1 ± +10°C)	(+1 ± +10°C)	(+1 ± +10°C)
Temp. class	-	-	-	-	-
Climate class	-	-	-	-	-
Energy efficiency class	D	D	D	D	D
Refrigerant	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449	R404a / R507 / R448 / R449
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz	230/50Hz	230/50Hz
Rated power [W]	92	119	130	165	197

Standard equipment

powered only by external aggregate

a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / R407F / R404A / R507 / R452

device prepared for multiplexing

dynamic cooling (ventilated)

ecological polyurethane foam insulation

front bottom panel made of coated steel - different colors available (Igloo pattern book)

front panel made of painted steel - different colors available (IGLOO pattern book)

additional internal top illumination - LED lamp (color of choice: white, confectionery or meaty "deep pink")

interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)

6 levels of display shelves with possibility to change the hanging height and angle + lower base shelf

price stripes - different colors available (IGLOO pattern book)

night roller blind

automatic defrost

automatic condensate pump (up to 0,6m height)

electronic temperature controller with digital display (IGLOO)

Options

insulated side panels made of white coated steel - selectable colour (IGLOO pattern book)

glass in side panels

side panels made of double combined tempered glass or double combined mirror

custom colors of the side panels

insulated side panels made of stainless steel

custom front panel color (after consultation with the IGLOO Sales Department)

front panel color - different colors available (IGLOO pattern book)

base and front panel made of white coated steel (contact the Igloo sales department)

top full panel made of stainless steel

bumper - different colors available (IGLOO pattern book)

custom colors of device interior and exposition shelves (after consultation with the Igloo Sales Department)

device interior and exposition shelves made of stainless steel

device interior and exposition shelves made of acid - resistant stainless steel

strengthening of full shelves

good securing fence

internal, upper lighting - LED lamp (color of choice: white, confectionery or meaty "deep pink")

top mirrors

meat hooks - long

powder painted evaporator

fixed partition made of PETG (plexiglass)

electronic temperature recorder + software

temperature recorder wire

top outlets of the cooling circuitry

KING AT MOD/C

