



Temperature range: **+2°C/+8°C**

Refrigerating unit: **Internal**

Refrigerant/Cooling factor: **R134a / R290**

Name	TATIANA 1.0N2	TATIANA 1.3N2	TATIANA 1.5N2	TATIANA 1.7N2
Code	TA100N2	TA101N2	TA102N2	TA103N2
Length [mm]	1205	1515	1715	1915
Height [mm]	710+/10	710+/10	710+/10	710+/10
Depth [mm]	765	765	765	765
Capacity [dm ³]	90	120	140	160
Display area [m ²]	0,5	0,67	0,77	0,88
Total Display Area (TDA) [m ²]	-	-	-	-
Temp. range [°C]	(+2 ± +8°C)	(+2 ± +8°C)	(+2 ± +8°C)	(+2 ± +8°C)
Temp. class	-	-	-	-
Climate class	-	-	-	-
Energy efficiency class	-	-	-	-
Refrigerant	R134a / R290	R134a / R290	R134a / R290	R134a / R290
Rated voltage [V]	230/50Hz	230/50Hz	230/50Hz	230/50Hz
Rated power [W]	151	157	250	255

Standard equipment

internal cooling aggregate

cooling aggregate placed on the side – site selection available

static cooling

external top housing made of coated steel – different colors available (Igloo pattern book)

ecological polyurethane foam insulation

exposition area made of stainless steel

worktop – stainless steel

anodised aluminum profiles color gold or silver (IGLOO pattern book)

glass top with curved front glass

night blinds made of plexi glass

lamp with LED light (white color)

automatic defrost

condenser outlet to container

electronic temperature controller with digital display (IGLOO)

condenser impurity or fan operation failure alarm

Options

external housing color – different colors available (IGLOO pattern book)

external housing made of stainless steel

glass top with straight front glass

LED light (meat color)

LED light (confectionary color)

additional exposition glass shelf

automatic condenser vaporization

electronic temperature recorder + software

temperature recorder wire (RS232 - USB)

movable partition (low ,glass on stands , placed in exposition area)

TATIANA N2

